

UNITED STATES DEPARTMENT OF COMMERCE National Technical Information Service 5285 Port Royal Road Springfield, Virginia 22161

Date 6	lugar 1481	NTIS Control #
TO:	Defense Technical Information Center - DTIC	
	Cameron Station Alexandria, Virginia 22314	
FROM:	NTIS, Input Branch 5285 Port Royal Road Springfield, Virginia 22161	
	# DOD-DF-81-009	ADA # AD A 102565
Title:	Total Structure Verfier	System.
Subject Technol	réport is / Standard Process ogy Group.	/ STG report. STG - Special uct / Follow up date
The is	report will be accessioned by Direturned.	OC. The form noting the ADA number
The to	report has been assigned the ADA	A number noted above and is returned
/	will not process the report. I	t is returned to NTIS
·		•
rc & rir	e Price 360.00 Price	Source DODA field 3
Stock (Quantity	Source Share
Comment	•	
field	2 4 - CP - TOS	
fild	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Dettie Adoms
	en completed to Branch	Signature (for billing)
	oort Action Request es NTIS-164 5-72)	
1714.55	aturn to MITC - Information Sorvices B	ranch Room 301. Vorktown Emilding.

*81 8 07 074

Attention: Dottle Adams

INFORMATION PROCESSING STANDARD SOFTWARE SUMMARY 42. Summary prepared by (Name and Phone) 03. Summary action Maj. B. J. Dugan (703)437-2538 Mo. Day Replacement Deletion 8110141114 05 Software little M 04. Software date Previous Internal Software ID Notal Structure Verifier System (TSVS), <u>810111013</u> 07. Internal Software ID 66. Short title 09. Processing mode 08. Software type Application area Specific General Computer Systems **Automated Date** Management/ ☐ System Support/Utility Interactive Business Total DBMS Utility Computer Program Batch Scientific/Engineering **Process Control** Subroutine/Module Bibliographic/Textual Combination Other 11. Submitting organization and address 12. Technical contact(s) and phone Defense Communications Engineering Center Maj. B. J. Dugan 1860 Wiehle Avenue (703)437-2538 Reston, VA 22090 AUTOVON 364-2538 The Total Structure Verifier System (TSVS) is a utility which checks TOTAL file internal system fields. TOTAL files have pointer fields matching records within and between files. It is the purpose of the TSVS to check mode with a minimum of user preparation. The TSVS is designed to run in batch mode with a minimum o. user preparation. The TSVS will report errors it finds by printing each record in error with a description of the error. The TSVS can find only those errors which are in conflict with the TOTAL file linkage rules. Thus, for example, the TSVS can find an error when a free space record points to an active record, but it cannot find an error when a data field has an incorrect value. In general, the TSVS will find errors of structure, when the TOTAL nucleus routines, while processing through application programs, improperly access records. The TSVS validates the integrity of the individual files without using the data base management system itself. The User's Manual is contained in the first file of the magnetic tape.../ 14. Keywords TOTAL; DATA BASE; DBMS 15. Computer manufir and model 16. Computer operating system 17. Programing language(s) 18. Number of source program state-NASC AS/5-3 SVS.MVS PL/1, ALC 1500 19. Computer memory requirements 20. Tape drives 21. Disk/Drum units 22. Terminals 100K 1 23. Other operational requirements Total 6.3 or Total 8.0 Data Bases 24. Software evailability 25. Documentation availability Available Limited in-house only Available In-house only denuste X I on tape DOD- DE 009 D017DF-81/005 \$360.00 TØ5 NAC Software Statement #1 24 FOR SUBMITTING ORGANIZATION USE **TTC** FILE COPY

COMPUTER MAGNETIC TAPE FILE PROPERTIES								
01. Completion De		and Phone)				08. Reel ID (Property Co		
8 / 0 6 2	3 MARK F.	Ameri	(703) 4	777-75		U90	·	
04. Recording Date	05. File Identifier or Descriptiv		(1032 1	<u> </u>		06. Short Titl		
Year Month D						(External Lab		
81062		. TSVS. US	ER			R832. TSVS. USER		
97. Source Unavaila]'	09. File Positi	_	
1001	Y (Enter Citation)	FIRST FIL	E ON 7	ADF			of _2	
10. To Be Returned	11. Submitting Organization &			eiving Organizat	tion & Addre	es		
Yas No To Oti		e832	US	S DEPARTMENT OF COMMERENCE				
Than 1	1860 W	PIEHLE AVE.	1	NATIONAL TECHNICAL INFO SERNCE				
13. Due Back Date	RESTON	. Va	_	SPRINGFIELD, Va. 22161				
Year Month D	Y				σ, τα.			
81073	/	090		ATTI	v: W/	LTER	FINCH	
14. Technical Contact(s) & Phone Number(s)								
	2 mo Lt	MARK E	AMELL	(703)	437	-255	2	
	RECO	RDING SYSTEM C	HARACTERI	STICS				
EQUIPMENT	15. Processing Unit			17. No. of Tree		l. Parity	19. Density (BPI)	
MANUFACTURER AND	16. Tape Subsystem	AS/5-3	- 	7 9	Other C	dd Even	, , , ,	
MODEL	IBM 3400	0-5		X		X	1600	
DECORDING.	20. Operating System, Release & Version			22. Internal Fil	le Identifier			
RECORDING SOFTWARE	mV	5 REL 3.	8	}				
	21. Utility Program or Data Base Language	TEBGENER						
23. Characters		er (Specify) 24. Reco		1 7	iSI X 3.27 Si		Other	
Set (Graphics)		l Cab	el Linea	Ger LJAN	131 A 3.27 SI	anderd L	7 Other	
Q.	SEBCDIC OFIELDATA ONON	Print Codes La	bel) 🔲 Trai	iler 🔲 File	PS Standard	2	None	
		FILE CHARA	CTERISTICS		•	·		
NUMBER 25	Physical 27. Record Typ	_	28. Records/Blocking Fa		1	One		
OF 26	Logical Day		}	_	TYPE OF	☐ One Reel		
RECORDS	2 45 7 Other 1	I I I (Whee Then Eived I		9	ORGANIZ	NIZ- Adultina Reals		
RECORD 30.	Physical Bytes			Bits/Word) (Check Box)		Mulainta Citas		
LENGTH 31.	ogical Bytes 🖾 Chars. 80 🗆 Words (
SUPPLEMENTAL INFORMATION								
	nstraints (Specify if Yes)			•	Land a	nijevij z	ì	
Yes No				•	じ	¥ .	. 1	
X	. <u></u>				BEL	ECIT		
AUG 7 19.81								
Source Take win EBCDIC Character								
set, Japes can be prepared in most								
sta	idard 70m9 to	ch Ligara	conginació	to for		*	[
1/2 ine	a tape. Identity	recording m	orle desi	ically &	specify	ging	-	
chan	Vainet tage. Identify recording mode desiral by specifying character set, track, density and parity. Call NTIS Computer							
Products, if you have any questions.								

277-101

INSTRUCTIONS ON OTHER SIDE

Standard Form M7 (13-47)

NOTES:

- 1. DSER/INSTALLATION GUIDES CONTAIN UPPER/LOWER CASE CHARACTERS.
- 2. TAPE PILE #9 CCRTAINS TOTALS SCURCE CODE CHANGES. [GRIGINAL IS FOR TOTAL 6.3] CCB= (RECTM=F8, LBECL=80, ELKSIZE=3120)

٠,

3. FEFERENCE FAGE 7 OF INSTALLATION GUIDE: ADD 'LABEL=(,NL)' TO TAPE DD STATEMENT.

TOTAL NUMBER OF LINES COCCOSI.

\$ 360.00

A 21

DATE 8/5/81						
ro:	Input Branch					
ROM:	To the second se					
Œ:	DOT DE 81 009 . Announce in GRA&I					
Priority action required 🗵 Yes 🔟 NO						
lttac	hed	Process	for			
Ø	Form NTIS 23 185	K File				
Ø	Form 277 .	K 111e	Mag Tape			
図	NTIS 79 completed as required	H File	<pre>/// Documentatio:</pre>			
厂	RDP	lu riie	🔀 Mag Tape			
	Consigned Inventory Acquisition Form (Interagency agreement number and split)	<u></u>				
Actio	on .					
口	Loan Document Form attached					
口	Defense sponsored. Acquire ADA number					
口	Highlight document. Blue slip attached					
口	Order Pending. Return immediately after copying necessary pages					
口	Supersedes					
Remarks:						

Note: FORM REQUIRED FOR EACH ITEM

PACKAGE RELATED ITEMS AND PAPERS